


# Multiuse line

LIFE ON BOARD ASKS FOR DIFFERENT TYPES OF ROPES AS THEY ARE DESTINED TO MULTIPLE USES, E.G. FROM FENDERS TO ANCHORING, FOR STARTING ENGINE OR FOR MOUSING LINES. WITH THE PRODUCTS OF ITS MULTIUSE LINE, ARMARE COVERS ALL KIND OF USE ON BOARD, FOR HANDCRAFTED SOLUTIONS AS WELL AS FOR SEWING. OPTIMUM QUALITY MATERIALS GUARANTEE DURABILITY EVEN WHERE NO SPECIFIC TECHNICAL REQUIREMENTS ARE GIVEN.



**MULTIUSE** - BREAKING LOAD AND WEIGHT COMPARATIVE TABLE

Ø	FENDER BRAID		FANTASY		PROROPE		SAGOLA		DELPHINUS	
	N021		N009		N010		N016		N013	
DIAM	B. L.	WEIGHT	B. L.	WEIGHT	B. L.	WEIGHT	B. L.	WEIGHT	B. L.	WEIGHT
[mm]	[daN]	[g /m]	[daN]	[g /m]	[daN]	[g /m]	[daN]	[g /m]	[daN]	[g /m]
0,6	-	-	-	-	-	-	29	0,80	-	-
0,8	-	-	-	-	-	-	46	1,10	-	-
1	-	-	-	-	-	-	50	1,60	-	-
1,5	-	-	-	-	-	-	79	2,10	-	-
2	-	-	-	-	-	-	132	3,20	-	-
2,5	-	-	-	-	-	-	143	4,40	-	-
3	-	-	-	-	-	-	192	5,50	-	-
3,5	-	-	-	-	-	-	271	8,60	-	-
4	-	-	320	16,00	200	13,75	320	16,00	200	9,00
4,5	-	-	-	-	-	-	-	-	-	-
5	-	-	400	22,00	350	23,33	400	22,75	-	-
6	-	-	500	30,00	460	28,33	500	30,00	300	14,00
7	-	-	-	-	670	39,27	-	-	-	-
8	1.500	38,00	950	50,00	880	56,75	-	-	400	22,00
9	-	-	-	-	-	-	-	-	-	-
10	1.900	78,00	1.350	75,00	1.200	86,67	-	-	500	33,00
11	-	-	-	-	-	-	-	-	-	-
12	2.150	88,00	1.900	100,00	1.700	113,55	-	-	800	45,00
14	2.630	100,00	2.500	140,00	2.230	160,00	-	-	-	-
16	3.450	112,00	3.300	185,00	3.000	210,00	-	-	-	-
18	-	-	4.200	240,00	3.800	240,00	-	-	-	-

**NOTE ABOUT BREAKING LOAD AND DIAMETERS** The average values shown above are derived from tests taken at Armare laboratory, with linear ropes, and may change without notice. Other diameters available on request. The static load of the rope must not exceed 20% of breaking load shown in the table. Knots may affect the breaking load of the rope with reductions of up to 60%. The use and exposure to weather conditions, depending from the kind of rope and the time of exposure, can reduce the breaking loads of the ropes.

### PET Minirolls


PRODUCT CODE NA38\_MIN



**CONSTRUCTION** 100% Polyester sock.  
Core in unidirectional Polyester.  
**USE** Flags, strops, various bindings and sewing.  
**STANDARD DIAMETERS** From 0,8 to 3,5 mm  
**COLOURS** Diameter 0,8 mm, 1 mm and 1,5 mm only white and black. Solid colour with marker from 2 mm.

DIAMETER	B. L.	LENGTH	WEIGHT
[mm]	[daN]	[m]	[g /roll]
0,8	46	50	69,00
1	50	40	60,00
1,5	79	30	63,00
2	132	40	146,00
2,5	143	30	153,00
3	192	20	156,00
3,5	271	15	148,00

#### STANDARD COLOURS



### Dyneema® 100% Minirolls

PRODUCT CODE NA67\_MIN



**CONSTRUCTION** 100% Dyneema® braid + PU.  
**USE** Ideal for the hand sewing of manufactured parts or special splicing and for seams that require high tensile strength and low elongation. Very smooth, excellent abrasion resistance.  
**STANDARD DIAMETERS** From 0,6 to 1,5 mm

DIAMETER	B. L.	LENGTH	WEIGHT
[mm]	[daN]	[m]	[g /roll]
0,6	56	60	36,00
0,8	65	50	44,00
1	113	40	51,00
1,5	190	30	62,00

#### STANDARD COLOURS



### Dyneema® / PET Minirolls


PRODUCT CODE NA93\_MIN



**CONSTRUCTION** Polyester sock.  
Core with unidirectional Dyneema® SK75.  
**USE** For flags, strops, windsurf and various bindings.  
**STANDARD DIAMETERS** From 2 to 3,5 mm

DIAMETER	B. L.	LENGTH	WEIGHT
[mm]	[daN]	[m]	[g /roll]
2	160	15	58,00
2,5	290	10	56,00
3	340	7	50,00
3,5	400	5	51,00

#### STANDARD COLOURS



### Waxed Braid Minirolls

PRODUCT CODE N026



**CONSTRUCTION** Waxed Polyester braid.  
**USE** Waxed braid for whipping and sewing.  
**STANDARD DIAMETERS** From 1 to 1,5 mm


DIAMETER	B. L.	LENGTH	WEIGHT
[mm]	[daN]	[m]	[g /roll]
1	-	40	35,00
1,5	-	30	43,00

#### STANDARD COLOURS



### Miniroll display

PRODUCT CODE N400DISPLAY MINI



#### DESCRIPTION

Display made of alveolar cardboard with side pocket for flyers. Said display will be supplied free of charge together with the first order placed for a complete set of mini-rolls.

#### SUCH A SET IS COMPOSED OF:

**Code NA38\_MIN** 10 Mini-rolls Sagola PET HT Coloured - diameters from 2,0 to 3,5 mm

**Code NA93\_MIN** 10 Mini-rolls Braid with Dyneema® SK78 core and PET HT cover - fluorescent colours - diameters from 2,0 to 3,5 mm

**Code NA38\_MIN** 10 Mini-rolls Sagola PET HT White and Black - diameters from 0,8 to 1,5 mm

**Code N026** 15 Mini-rolls Waxed Braid coloured - diameters 1 and 1,5 mm

Would you please choose and confirm your colours and diameters. Without any specification, delivery will include a standard set (as per picture).

#### DIMENSIONS

Width 38 cm / Height 50 cm / Depth 41 cm

## Fender Braid

**PRODUCT CODE** N021



**CONSTRUCTION** 24 plait Polyester braid

**COVER** Polyester

**CORE** None

**FEATURES AND USE** Rope suitable for fenders. It is supple, resistant and has a good knot retention.

**STANDARD DIAMETERS** From 8 to 16 mm

### STANDARD COLOURS



## Fantasy

**PRODUCT CODE** N009



**CONSTRUCTION** Polyester braid

**COVER** Polyester

**CORE** Twisted Polyester yarn

**FEATURES AND USE** This compact and flexible rope is resistant to UV rays, salt water, solvents and chemical products. It is used for fenders, small moorings, towing, anchors of small boats, blinds, biminies, mooring posts and various bindings. It is not suitable for splicing.


**STANDARD DIAMETERS** From 4 to 18 mm

### STANDARD COLOURS



## Prorope

**PRODUCT CODE** N010



**CONSTRUCTION** M.T. Polyester braided cover

**COVER** Polyester

**CORE** Twisted Polyester yarn

**FEATURES AND USE** The cheapest and multi-use rope. The compact construction gives to this rope an optimal durability although M.T. Polyester has a tendency to slight rigidity. It is recommended for anchoring of small boats, blinds, anchors of small boats, biminies, mooring posts, various bindings and for the delimitation of sea areas.

**STANDARD DIAMETERS** From 4 to 18 mm

### STANDARD COLOURS



## Sagola

**PRODUCT CODE** N016



**CONSTRUCTION** Polyester braid

**COVER** Polyester

**CORE** Multifilament Polyester

**FEATURES AND USE** Trim line braided in Polyester. Flexible and durable in sunlight. Suitable for flags, all types of boats, for dinghies as well as for windsurfing, kitesurfing, spear fishing and small bindings.

**COLOURS** Diameter 0,6 mm only white and black. Diameter 0,8 mm, 1 mm and 1,5 mm Solid Colour only. From 2 mm available also in Solid Colour with marker. Other constructions and colours on request.

**STANDARD DIAMETERS** From 0,6 to 6 mm

### STANDARD COLOURS



## Elastic

PRODUCT CODE N014



**CONSTRUCTION** Braid with core

**COVER** Polyester

**CORE** 100% Pure rubber latex

### FEATURES AND USE

Resistant to UV rays, to salt and to the bad weather. Having a good duration over time, the elasticity reaches 150 % when new.

Used by sailmakers, upholsterer, tarp-maker and on board for sun shade canopies, covers, bindings, tie-rods and much more besides.

**STANDARD DIAMETERS** From 2 to 10 mm

### STANDARD COLOURS



White, Black markers



Black

### NEW COLOURS



Red



Light Blue



Yellow

Availables only for diameters from mm 3 to 6

## Delphinus

PRODUCT CODE N013



**CONSTRUCTION** 16 plait braid

**COVER** Polypropylene UV stabilized

**CORE** None

**FEATURES AND USE** Floating rope, supple and resistant. The multifilament yarns makes this rope very supple, preventing the formation of twists and kinks during the use.

Fit for all boats and various applications: for life buoys, inflatable life rafts, water skiing, signal buoys and for the delimitation of sea areas.

**STANDARD DIAMETERS** From 4 to 12 mm

### STANDARD COLOURS



White, red markers

## Engine

PRODUCT CODE N015



**CONSTRUCTION** Braid with core

**COVER** Compacted made with thermo-fixed Polyester

**CORE** Multifilament Polyester

**FEATURES AND USE** Flexible and resistant against chafe. Specifically indicated for starting engines.

**STANDARD DIAMETERS** From 2 to 6 mm

### STANDARD COLOURS



White

## Multihull Dyneema® net

PRODUCT CODE RETE\_DYN

**NEW**

PU COATED TREATMENT



**CONSTRUCTION** Knotless trampoline net, made with 100% Dyneema® impregnated with Polyurethane coating - square mesh.

**FEATURES AND USE** The best solution for catamarans and trimarans trampoline netting systems. It ensures an easy installation and durability, provides low stretch, low weight, no water absorption and excellent resistance to UV rays and abrasion.

### STANDARD SIZE

Available meshes: 15x15 mm / 22x22 mm  
Length and width on request. This net is supplied without hemline.

### STANDARD COLOURS



White



Silver Grey

## Guardrail net

PRODUCT CODE RETE\_60/50

**NEW**



**CONSTRUCTION** Braid 2,5 mm in Polyester H.T. manually knotted - square mesh. Height cm 60 - roll length m 50.

**FEATURES AND USE** Net usually installed on guard wires to improve safety onboard and preventing children and/or pet falling.

### STANDARD SIZE

Roll length 50 m - 40x40 mm mesh  
Other sizes and colours on request.

### STANDARD COLOURS



White



## Armare Shop Rack

PRODUCT CODE N400SHOP RACK

### DESCRIPTION

Armare Shop Rack is a new **modular concept** to show Armare rolls in stores. Made of black painted powder coated steel, thanks to a modular concept, with this rack different compositions can be created, such as in height (**up to 3 times**), laterally or as a corner rack.

**Supplied with three bars for the exhibition of rolls as well as with a wall fixing system.**

You're kindly required to confirm the desired configuration in order to give us the chance to include all the necessary pieces to compose your Shop Rack.

### DIMENSIONS OF BASE MODULE

Width 101 cm

Module Height 108 cm


Banner Armare Height 30 cm

Depth 35 cm

### DIMENSIONS OF BASE MODULE



**CORNER**



**DOUBLE MODULE**

## Armare bag for ropes

PRODUCT CODE SACCA\_70

**NEW**



### DESCRIPTION

Ample, waterproof bag in polyester, equipped with handles as well as with belts in order to be carried either as a bag or as a backpack.

### CAPACITY

70 liters

### COLOUR

Sea Blue